

REINVENTING
RENEWING LUXURY

ROCA
MBO L
ESCO

EXTRAORDINARY

900X300MM
DIGITAL WALL TILES

06 AJAX WHITE GLOSSY	07 DEJA VU GLOSSY	08-09 SITKA GLOSSY	10 EMRITA GLOSSY	11 CANNES GLOSSY	14 AXEL MATT
15 AQUA WHITE MATT	16-17 BULGARI MATT	18-19 YELE MATT	20 HUSTLE MATT	21 DRAKE MATT	22-23 DURA MATT
24 MOTION MATT	25 NERIS MATT	26-27 IRIS MATT	28 PERSOL MATT	29 SMOKE MATT	30 IMPERIUM MATT
31 CIVIC MATT	32-33 NOTILA MATT	36 DESTINY GLUSOL	37 MENHIR GLUSOL	38-39 ASIA GLUSOL	40-41 STRUCTURES GLOSSY MATT

INDEX

- High Strength
- High Definition Digital Print
- 3D Patterns
- Random Designs
- Structure

- wall tiles
- ceramic
- G

glossy
- M

matt
- GL

glusol
- S

structure



900X300MM
GLOSSY

These new ceramic designs adopted from Italian touch capturing essence of the latest trends with touch of luxury and modern pattern. Each designs fits perfectly with the texture and patterns.

ajax white



ajax white



HL ajax white curva



deja vu



deja vu light



HL deja vu curva



HL deja vu cuba



900X300MM

GLOSSY

DIGITAL WALL TILES



SITKA



SITKA LIGHT



HL SITKA STARK



SITKA DARK



EMRITA

C

G



EMRITA LIGHT



EMRITA DARK



HL EMRITA CUBA



CANNES

C

G



CANNES LIGHT



CANNES DARK



HL CANNES LIGHT CURVA



HL CANNES DARK CURVA





900X300MM

MATT

A breathe of fresh air comes along that makes you see things from another point of view. More luxurious and more urban textures and patterns for your most exhilarating spaces.



AXEL

C
M



AXEL LIGHT



HL AXEL ZENO



HL AXEL FESSURA



AQUA WHITE

C
M



AQUA WHITE



HL AQUA WHITE CUBA



HL AQUA WHITE ZENO



BULGARI

C M



BULGARI LIGHT



BULGARI DARK



HL BULGARI DARK ZENO



BULGARI LIGHT



HL BULGARI LIGHT FESSURA

900X300MM

MATT

DIGITAL WALL TILES



YELE LIGHT



YELE DARK



HL YELE LIGHT PARET



HL YELE DARK PARET



YELE

C M



YELE LIGHT



YELE DARK



HL YELE LIGHT ZENO



HL YELE DARK ZENO





HUSTLE C M



HUSTLE LIGHT



HL HUSTLE RULER



HL HUSTLE REVEAL



DRAKE C M



DRAKE LIGHT



HL DRAKE FESSURA




DURA

C

M



DURA LIGHT



HL DURA CURVA



HL DURA FESSURA



MOTION

C M



MOTION LIGHT



HL MOTION FESSURA



MOTION LIGHT



NERIS

C M




NERIS LIGHT



NERIS BLACK



HL NERIS LIGHT STARK



HL NERIS BLACK STARK



900X300MM

MATT

DIGITAL WALL TILES



IRIS

C M W



IRIS LIGHT



HL IRIS CURVA



HL IRIS FLORAL



HL IRIS ZENO





PERSOL

C M



PERSOL LIGHT



PERSOL DARK



HL PERSOL LIGHT ZENO



HL PERSOL DARK ZENO



SMOKE

C M



SMOKE LIGHT



SMOKE DARK



HL SMOKE CUBA



HL SMOKE ZENO



IMPERIUM



IMPERIUM LIGHT



HL IMPERIUM REVEAL



IMPERIUM LIGHT



CIVIC



CIVIC LIGHT



HL CIVIC RULER



HL CIVIC REVEAL



NOTILA

C M



NOTILA BEIGE



HL NOTILA BEIGE STARK



NOTILA BEIGE



HL NOTILA BEIGE STARK



HL NOTILA BEIGE PARET




A person with long dark hair, wearing a light-colored cardigan over a white top, is holding a lit sparkler. The sparkler is bright and glowing, with many sparks flying out. The person's hands are visible, holding the stick of the sparkler. The background is a solid light blue color.

900X300MM
GLUSOL

Made with the new GLUSOL technology to give you sparkling charisma. Arrived with sophisticated touch of sparkle and several textures that gives you new perspective of luxury.



DESTINY



DESTINY LIGHT



HL DESTINY CUBA



DESTINY DARK



HL DESTINY CUBA FLORAL



MENHIR



MENHIR LIGHT



MENHIR DARK



HL MENHIR STARK

900X300MM

GLUSOL

DIGITAL WALL TILES



ASIA



ASIA LIGHT



HL ASIA BLUE



HL ASIA COFFEE



PLAIN WHITE



HL ASIA BLUE



CURVA WHITE



ZENU WHITE



CURVA BLACK



ZENO BLACK



CUBA WHITE




STARK WHITE



CUBA BLACK



STARK BLACK



PLAIN WHITE (GLOSSINESS: 92% WHITNESS : 83%)



PLAIN BLACK



PACKING DETAILS

Domestic

SIZE	NO. OF TILES/BOX	THICKNESS (MM)	WEIGHT KG.	COVERAGE SQ. FT.	COVERAGE SQ. MTR.	PACKING
900X300MM	4	11	21	11.62	1.08	Corrugated Box


Export

SIZE	NO. OF TILES/BOX	THICKNESS (MM)	WEIGHT KG.	COVERAGE SQ. FT.	COVERAGE SQ. MTR.	PACKING
900X300MM	4	11	21	11.62	1.08	Corrugated Box

Export (as per European Standard)

SIZE	NO. OF TILES/BOX	THICKNESS (MM)	WEIGHT KG.	COVERAGE SQ. MTR.	PACKING DETAILS
900X300MM	4	11	21	1.08	Corrugated Box, Foam Sheet Separator between the Tiles, Plastic corners on all 4 edges

APPLICATIONS



TILES FIXING INSTRUCTION

1. The final floated coat of the wall to be tiles should be with wood flat finish and coating should be completed at least two weeks before tiling begins.
2. The bedding mix used for fixing the tiles must not contain less than three part of sand (100 mesh) to one part of cement by volume.
3. The bedding mix should be used within its time limit, mix must be discarded.
4. The tiles must be immersed in clean water for at least as hour before tiling.
5. The tiles should be fixed as soon as surface water is gone.
6. Variation of size and weight occurred some times due to clay product.

NOTE: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer are advised to inspect a sample of tiles before ordering, every effort has been made to ensure the accuracy of the information given. However, the Company research the right to change the specifications Without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instruction on the cartons of the tiles as no responsibility can be accepted by the once the tiles have been fixed.

TILES SPECIFICATION

CHARACTERISTIC	IS 15622:2006 SPECIFICATIONS	Value
DIMENSION & SURFACE QUALITY		
Deviation in Lenght & Width	± 0.2%	± 0.2%
Deviation in Thickness	± 4.0%	± 4.0%
Straightness of Sides	± 0.15%	± 0.15%
Rectangularity	± 0.15 %	± 0.15 %
Surface Flatness	± 0.22 %	± 0.22 %
Surface Quality	Min 95%	Min. 95%
PHYSICAL PROPERTIES		
Water Absorption	>10%	>10% (Max 18%)
Modules of Rapture	15N/mm2	15N/mm²
Breaking Strength	500 N	>500N
Scratch (moh’s) Hardness	Min. 3	Min. 3
Moisture expansion	0.04%	<0.04%
Crazing	4 cycles	>4 Cycle
THERMAL PROPERTIES		
Thermal Expansion	Max 9.0 x 10 ⁻⁶ K ⁻¹	Max 8.0 x 10 ⁻⁶ K ⁻¹
Thermal Shock	10 cycles	Min. 10 cycles
CHEMICAL PROPERTIES		
Household Chemicals	Class AA	Conforms
Staining Resistance	Class 1	Conforms

DIGITAL PRINT SPECIFICATION

	Naturally varying design	No	Yes
	Printing Accuracy	Low	High
	Printing Consistency	Low	High
	Printing resolution (DPI)	60-80	350 - 1000
	Print on uneven surface	Not Possible	Easily Possible
	Customization	No	Easily Possible
	Edge to edge printing	No	Edge to edge printing
	Design range	Limited	Endless
	Number of printing colours	2-4	No limit

WHITE GLOSSY TILES : GLOSSINESS: 92% WHITENESS : 83% SCRATCH-FREE