




COLECCION DE LUJO

COLLECTION OF LUXURY




Digital Wall Tiles
900x300mm



DIGITAL
WALL TILES
900x300MM

Aspire to adorn the ambience with aesthetics

The contagiously creative digital wall tiles with superior quality, unique patterns, radiating colors and extraordinary designs are available in the size of 300x900mm for the best embellishment for your wall. The beautiful tiles produced through the cutting edge technology shall create the best spaces for you as per your expectations.




PORSCH BEIGE



HL METALLIC CONCRETE



PORSCH TINNURA HL



PORSCH OLAS HL



PORCHSE COLLAGE HL



ONDA BEIGE




ONDA BEIGE SQUARE HL



ONDA BEIGE WAVES HL



ONDA WHITE



ONDA WHITE SQUARE HL



ONDA WHITE WAVES HL



SABIA TOCCO



SABIA OLAS HL



SAVINO BEIGE TOCCO



SAVINO BEIGE TINNURA HL



SAVINO GRIS TOCCO



SAVINO GRIS OLAS HL



SAVINO GRIS TINNURA HL



MALWA GREY




ELLE 32 BIANCO




ELLE 32 BEIGE



MALWA BLACK HL



ELLE 32 SQUARE BLACK HL



ELLE 32 SQUARE BROWN HL



MALWA BLACK



ELLE 32 BLACK



ELLE 32 BROWN




SWEDAN LT



WHITE ONYX



SWEDAN DIAMOND HL




HL WHITE ONYX



LIBERTY BEIGE



KLIDDER CEMENT



LIBERTY BEIGE HL



KLIDDER CEMENT COLLAGE HL



KLIDDER CEMENT TINNURA HL



CEMENT BEIGE



CEMENT BEIGE



CEMENT BEIGE



CEMENT MISTA



HL CEMENT MISTA



CEMENT MISTA




CEMENT WHITE



HL CEMENT WHITE



CEMENT WHITE



CALISTA BIANCO



CALISTA GREY HL



CALISTA GREY



PAPER CREAM



PAPER CREAM HL



TRAVERTINO GOLD MATT



TRAVERTINO GOLD MATT




TRAVERTINO GOLD MATT




ELLE 58 BEIGE



BUEN BEIGE



ELLE HL CUBE




BUEN CHERRY



ELLE 58 BROWN

900X300MM

STRUCTURE SERIES (GLOSSY)
DIGITAL WALL TILES



PLAIN WHITE



PLAIN BLACK



DIAMOND WHITE GLOSSY



SQUARE WHITE GLOSSY



SQUARE BLACK GLOSSY



DIAMOND BLACK GLOSSY




OLAS WHITE GLOSSY



OLAS BLACK GLOSSY

900X300MM


STRUCTURE SERIES (MATT)
DIGITAL WALL TILES



TOCCO WHITE MATT



TINNURA WHITE MATT



TINNURA BLACK MATT



WAVES WHITE MATT



WAVES BLACK MATT



HOJAS WHITE MATT



SQUARE WHITE MATT



SQUARE BLACK MATT



CURVAS WHITE MATT

WAVES WHITE / BLACK IS ALSO AVAILABLE GLOSS FINISH.

Packing Details


Domestic

SIZE	NO. OF TILES/BOX	WEIGHT KG.	COVERAGE SQ. FT.	COVERAGE SQ. MTR.	PACKING
300 X 900	4	19	11.62	1.08	Corrugated Box
300 X 600	8	23	15.50	1.44	Corrugated Box
300 X 600 Oval+Sugar Series	7	20.50	13.56	1.25	Corrugated Box
300 X 600 Oval Series	7	20.50	13.56	1.25	Thermocol Box
300 X 600 Sugar Series	8	23	15.50	1.44	Thermocol Box
300 X 300	9	11.5	8.72	0.81	Corrugated Box

Export

SIZE	NO. OF TILES/BOX	WEIGHT KG.	COVERAGE SQ. FT.	COVERAGE SQ. MTR.	PACKING
300 X 900	4	19	11.62	1.08	Corrugated Box
300 X 600	5	14.5	9.68	0.90	Corrugated Box
300 X 300	9	11.5	8.72	0.81	Corrugated Box

Applications



TILES FIXING INSTRUCTION

1. The final floated coat of the wall to be tiles should be with wood flat finish and coating should be completed at least two weeks before tiling begins.
2. The bedding mix used for fixing the tiles must not contain less than three part of sand [100 mesh] to one part of cement by volume.
3. The bedding mix should be used within its time limit, mix must be discarded.
4. The tiles must be immersed in clean water for at least as hour before tiling.
5. The tiles should be fixed as soon as surface water is gone.
6. Variation of size and weight occurred some times due to clay product.

NOTE: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective Customer are advised to inspect a sample of tiles before ordering. every effort has been made to ensure the accuracy of the information given. However, the Company research the right to change the specifications Without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing Instruction on the cartons of the tiles as no responsibility can be accepted by the once the tiles have been fixed.

Technical Specification

Digital Wall Tiles Specifications

CHARACTERISTIC	IS 15622:2006 SPECIFICATIONS	
DIMENSION & SURFACE QUALITY		
Deviation in Length & Width	± 0.2%	± 0.2%
Deviation in Thickness	± 4.0%	± 4.0%
Straightness of Sides	± 0.15%	± 0.15%
Rectangularity	± 0.15 %	± 0.15 %
Surface Flatness	± 0.22 %	± 0.22 %
Surface Quality	Min 95%	Min. 95%
PHYSICAL PROPERTIES		
Water Absorption	> 10%	> 10% (Max 18%)
Modules of Rapture	15N/mm2	15N/mm²
Breaking Strength	500 N	> 500N
Scratch (moh's) Hardness	Min. 3	Min. 3
Moisture expansion	0.04%	< 0.04%
Crazing	4 cycles	> 4 Cycle
THERMAL PROPERTIES		
Thermal Expansion	Max 9.0 x 10 ⁻⁶ K ⁻¹	Max 8.0 x 10 ⁻⁶ K ⁻¹
Thermal Shock	10 cycles	Min. 10 cycles
CHEMICAL PROPERTIES		
Household Chemicals	Class AA	Conforms
Staining Resistance	Class 1	Conforms

Digital Printing Specifications

	Naturally varying design	No	Yes
	Printing Accuracy	Low	High
	Printing Consistency	Low	High
	Printing resolution (DPI)	60-80	350 - 1000
	Print on uneven surface	Not Possible	Easily Possible
	Customization	No	Easily Possible
	Edge to edge printing	No	Edge to edge printing
	Design range	Limited	Endless
	Number of printing colours	2-4	No limit