

# FINEST ARCHITECTURAL CONCEPT

## 60X60CM

COLLECTION 2018 / COLECCIÓN 2018  
POLISHED GLAZED VITRIFIED TILES / GLAZED VITRIFIED TILES





















# TECHNICAL INFORMATION

60X60CM

▶ POLISHED GLAZED VITRIFIED TILES  
/ GLAZED VITRIFIED TILES

COLLECTION 2018 / COLECCIÓN 2018

-  Highly non - porous
-  Easy to clean and maintain.
-  Suitable for contact with food
-  Water Resistant (Water absorption 0.05% average value)
-  Dimensional stability
-  Suitable for indoor and outdoor applications
-  Fire Resistant
-  Resistant to mould and fungi
-  Resistant to detergents and cleaning products
-  Friction coefficient (Slipperiness)
-  Resistant to chemicals, acids, alkalis and solvents
-  Coefficient of linear Thermal - Expansion
-  Resistant to humidity
-  Colour resistant to light
-  Deep abrasion resistant
-  Stain resistant

## APPLICATIONS



PGVT/GVT  
60X60CM  
TILES

# SURFACES

GLOSSY

GLIMKER

ROTTO

SATIN

MATT

RUSTICC

WOODEN



60X60CM

Glossy Finish

COLLECTION 2018/  
COLECCIÓN 2018

POLISHED  
GLAZED  
VITRIFIED  
TILES




[ CUBA WHITE ]



[ CARARA WHITE ]



[ SERENIA ]



[ SATUARIO CLASSICO ]



[ SATVARIO PEARL ]



[ GLACIAR WHITE ]



[ ANTISKY ]



[ FRISCO GREY ]



[ IMPULSE ]



Preview of [ CARARA WHITE ]

Page

5

Page

4



60X60CM

Glossy Finish

COLLECTION 2018/  
COLECCIÓN 2018

POLISHED  
GLAZED  
VITRIFIED  
TILES



[ ONYX IVORY ]



[ ROYAL CREMA ]




[ NEW POURA GOLD ]



[ NATURAL SLATE CREAM ]



[ DOWNEY BEIGE ]



[ DOWNEY BROWN ]



[ DIANA CREMA ]



[ CREMA GOLD ]




[ BOTTOCHINO CLASSICO ]



[ OREGON GREY ]



[ OREGON DARK GREY ]



[ ORDICO BLACK ]



[ ERAMOSA BEIGE ]



[ ENIGMA BEIGE ]




[ ENIGMA BROWN ]



[ LORENZO CREMA ]



[ LORENZO BRONZE ]



[ LORENZO CHOCO ]




60X60CM

Glimker Finish



COLLECTION 2018/  
COLECCIÓN 2018

GLAZED  
VITRIFIED  
TILES



[ EARTH ASH ]



[ EARTH GREY ]



[ EARTH AZUL ]



[ EARTH VERDE ]



[ EARTH COBALT ]



[ EARTH NEGRO ]



[ EARTH SUNGLOW ]



[ EARTH COTTO ]



[ EARTH COFFEE ]



Preview of { EARTH SUNGLOW + COTTO }

Page

9

Page

8



60X60CM

Rotto Finish

COLLECTION 2018/  
COLECCIÓN 2018

GLAZED  
VITRIFIED  
TILES




AMETEK EUROPA



AMETEK GRAPHITO



OPTIMO PEARL



SUMI GRIS



SUMI NEGRO



SUMI CREMA



SUMI MARANGO



COSTA BROWN



COSTA NEGRO




OPTIMO COFFEE



Preview of { SUMI GRIS + NEGRO }



CEPOLA VERSALLES



NEXA SOFT



COSTA GREY



COSTA BLACK



CEPOLA SANTELMO



NEXA BONE




60X60CM

Satin Finish



COLLECTION 2018/  
COLECCIÓN 2018

GLAZED  
VITRIFIED  
TILES



[ RUBICON ]



[ RUBICON HL ]



Preview of { RUBICON + HL }

60X60CM

Rustic Finish



[ AKRON BEIGE ]



[ AKRON BROWN ]

60X60CM

Matt Finish



COLLECTION 2018/  
COLECCIÓN 2018


GLAZED  
VITRIFIED  
TILES



[ CEMENT FOGGY ]



[ CEMENT CREMA ]




[ VEIN STONE BEIGE ]



[ CEMENT BEIGE ]



[ CEMENT MOCA ]




[ VEIN STONE GREY ]



[ CEMENT CHARCOAL ]



[ SEA WAVE BIANCO ]



[ SEA WAVE BLACK ]



60X60CM

Matt Finish

COLLECTION 2018/  
COLECCIÓN 2018

GLAZED  
VITRIFIED  
TILES



[ MADISON BIANCO ]



[ MADISON ASH ]



[ MADISON GREY ]




[ MADISON CREAM ]



[ MADISON MOKA ]



[ MADISON COTTO ]



[ METALLICA FOHN ]



[ COPPER COTTO LIGHT ]




[ COPPER COTTO HL ]



[ COPPER COTTO DARK ]



[ GREY COTTO LIGHT ]



[ GREY COTTO HL ]



[ GREY COTTO DARK ]



Preview of { MADISON CREAM + MOKA }

Page

15

Page

14



60X60CM

Wooden Finish



COLLECTION 2018/  
COLECCIÓN 2018

GLAZED  
VITRIFIED  
TILES



[ TIMBER PINE ]



[ TIMBER WENGE ]



[ MILO WOOD ]



[ ROYALWOOD CHERRY ]



[ ROYALWOOD WALNUT ]



[ LOGANO WOOD ]



[ TREVERA TEAK ]



[ TREVERA WENGE ]

## TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP Bla	MEAN VALUE OF OUR GVT	TEST METHOD
<b>REGULATORY PROPERTIES</b>			
Deviation in length & width	±0.5 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	ISO-10545-2
Rectangularity	±0.5 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	ISO-10545-16
Glossiness	As per mfg	Min 90%	GLOSSOMETER
<b>STRUCTURAL PROPERTIES</b>			
Water absorption	< 0.50 %	< 0.05 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
<b>MASSIVE MECHANICAL PROPERTIES</b>			
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO-10545-5
<b>SURFACE MECHANICAL PROPERTIES</b>			
Surface abrasion resistance	As per mfg	Min. Class-3	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	EN 101
<b>THERMO HYGROMETRIC PROPERTIES</b>			
Frost resistance	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0 x 10 <sup>-6</sup>	Max. 6.5 x 10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg	Min. 10 Cycle	ISO-10545-11
<b>CHEMICAL PROPERTIES</b>			
Chemical resistance	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	ISO-10545-14
<b>SAFETY PROPERTIES</b>			
Slip resistance	As per mfg	> 0.40	ISO-10545-17
Fire resistance	As per mfg	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg	Does not yield	ISO-10545-15
		Pb & Cd	

Tile Size	Tiles / Box	Coverage Area / Box (approx.)	Wt. Kgs. / Box (approx.)
60x60cm	4 pcs.	1.44 sq. mtr.	32.00 kgs.

Note: Colour Shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserve the right to change the specifications without prior notice. Sometime variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.



